


Lecture
Music Processing

Harmony Analysis

Christof Weiß and Meinard Müller
 International Audio Laboratories Erlangen
 {christof.weiss,meinard.mueller}@audiolabs-erlangen.de

Book: Fundamentals of Music Processing



Meinard Müller
 Fundamentals of Music Processing
 Audio, Analysis, Algorithms, Applications
 483 p., 249 illus., hardcover
 ISBN: 978-3-319-21944-8
 Springer, 2015

Accompanying website:
www.music-processing.de

Book: Fundamentals of Music Processing

Chapter	Music Processing Scenario
1	Music Representations
2	Fourier Analysis of Signals
3	Music Synchronization
4	Music Structure Analysis
5	Chord Recognition
6	Tempo and Beat Tracking
7	Content-Based Audio Retrieval
8	Musically Informed Audio Decomposition

Meinard Müller
 Fundamentals of Music Processing
 Audio, Analysis, Algorithms, Applications
 483 p., 249 illus., hardcover
 ISBN: 978-3-319-21944-8
 Springer, 2015

Accompanying website:
www.music-processing.de

Book: Fundamentals of Music Processing


Chapter	Music Processing Scenario
1	Music Representations
2	Fourier Analysis of Signals
3	Music Synchronization
4	Music Structure Analysis
5	Chord Recognition
6	Tempo and Beat Tracking
7	Content-Based Audio Retrieval
8	Musically Informed Audio Decomposition

Meinard Müller
 Fundamentals of Music Processing
 Audio, Analysis, Algorithms, Applications
 483 p., 249 illus., hardcover
 ISBN: 978-3-319-21944-8
 Springer, 2015

Accompanying website:
www.music-processing.de

Chapter 5: Chord Recognition

- 5.1 Basic Theory of Harmony
- 5.2 Template-Based Chord Recognition
- 5.3 HMM-Based Chord Recognition
- 5.4 Further Notes



In Chapter 5, we consider the problem of analyzing harmonic properties of a piece of music by determining a descriptive progression of chords from a given audio recording. We take this opportunity to first discuss some basic theory of harmony including concepts such as intervals, chords, and scales. Then, motivated by the automated chord recognition scenario, we introduce template-based matching procedures and hidden Markov models—a concept of central importance for the analysis of temporal patterns in time-dependent data streams including speech, gestures, and music.


Dissertation: Tonality-Based Style Analysis

Christof Weiß
Computational Methods for Tonality-Based Style Analysis of Classical Music Audio Recordings
 PhD thesis, Ilmenau University of Technology, 2017
https://www.db-thueringen.de/receive/dbt_mods_00032890


Chapter 5: Analysis Methods for Key and Scale Structures
 Chapter 6: Design of Tonal Features

Recall: Chroma Features

- Human perception of pitch is periodic
- Two components: **tone height** (octave) and **chroma** (pitch class)




Recall: Chroma Features



→ capture harmonic progression


Harmony Analysis: Overview

- Western music (and most other music): Different aspects of harmony
- Referring to different time scales



Harmony Analysis: Overview

- Western music (and most other music): Different aspects of harmony
- Referring to different time scales



Chord Recognition

```

Let It Be chords
The Beatles 1970 (Let It Be)

[Intro]
C G Am F C G
F C Dm C

[Verse 1]
      C           G           Am           F
When I find myself in times of trouble, Mother Mary comes to me
C           G           F C Dm C
Speaking words of wisdom, let it be

      C           G           Am           F
And in my hour of darkness, she is standing right in front of me
C           G           F C Dm C
Speaking words of wisdom, let it be

[Chorus]
    
```



Source: www.ultimate-guitar.com


Chord Recognition

The figure shows a musical score for 'Let It Be' in 4/4 time. The chords are labeled above the staff: C, G, Am, F, C, G, F, C. Below the score is a blue waveform representing the audio signal. At the bottom, a sequence of colored boxes corresponds to the chords: C (orange), G (green), Am (purple), F (cyan), C (orange), G (green), F (cyan), C (orange).



Chord Recognition

Chord Recognition



Chord Recognition: Basics

- Chord: Group of three or more **pitch classes** (sound simultaneously)
- Chord types: triads (3 pitch classes), seventh chords (4 pitch classes)...
- Chord classes: major, minor, diminished, augmented
- Here: focus on major and minor triads

Chord Recognition: Basics

- Musical chord: Group of three or more notes
- Combination of three or more tones which sound simultaneously
- Types: triads (major, minor, diminished, augmented), seventh chords...
- Here: focus on major and minor triads

- Enharmonic equivalence: 12 possible root notes → **24 chords**

Chord Recognition: Basics

Chords appear in different forms:


- Inversions
- Different voicings
- Harmonic figuration: Broken chords (arpeggio)
- Melodic figuration: Different melody note (suspension, passing tone, ...)
- Further: Additional notes, incomplete chords

Chord Recognition: Basics

- Templates: **Major Triads**


Chord Recognition: Basics

- Templates: **Major Triads**




Chord Recognition: Basics

- Templates: **Minor Triads**



Chord Recognition: Template Matching



Chord Recognition: Template Matching


- Similarity measure: Cosine similarity (inner product of normalized vectors)

Chord template: $t \in \mathbb{R}^{12}$

Chroma vector: $c \in \mathbb{R}^{12}$


Similarity measure: $s(t, c) = \frac{\langle t | c \rangle}{\|t\| \cdot \|c\|}$

Chord Recognition: Template Matching




C# as overtone of A → major-minor confusion


Chord Recognition: Label Assignment



Chord Recognition: Label Assignment



Chord Recognition: Evaluation




Chord Recognition: Evaluation

- "No-Chord" annotations: not every frame labeled
- Different evaluation measures:
 - Precision: $P = \frac{\#TP}{\#TP + \#FP}$ „how many predicted chords are correct“
 - Recall: $R = \frac{\#TP}{\#TP + \#FN}$ „how many annotated chords are recognized“
 - F-Measure (balances precision and recall):

$$F = \frac{2 \cdot P \cdot R}{P + R}$$
 harmonic mean of P and R
- Without "No-Chord" label: $P = R = F$


Chord Recognition: Smoothing

- Apply average filter of length $L \in \mathbb{N}$:




Chord Recognition: Smoothing

- Apply average filter of length $L \in \mathbb{N}$:



Chord Recognition: Smoothing


- Evaluation on all 180 Beatles songs (10 studio albums)



~2 seconds at
10 Hz feature rate


Chord Recognition: Smoothing

- Apply average filter of length $L \in \mathbb{N}$:





Markov Chains

- Probabilistic model for sequential data
- Markov property:** Next state only depends on current state (transition model – time-invariant, no “memory”)
- Consist of:
 - Set of states**
 - State transition probabilities**
 - Initial state probabilities**




Markov Chains

Notation:




Markov Chains

- Application examples:
 - Compute probability of a sequence using given a model (evaluation)
 - Compare two sequences using a given model
 - Evaluate a sequence with two different models (classification)




Hidden Markov Model



Hidden Markov Models

- States as **hidden** variables
- Consist of:
 - Set of states (hidden)**
 - State transition probabilities**
 - Initial state probabilities**




Hidden Markov Models

- States as **hidden** variables

- Consist of:

- Set of states (hidden)
- State transition probabilities
- Initial state probabilities
- Observations (visible)




Hidden Markov Models

- States as **hidden** variables


- Consist of:

- Set of states (hidden)
- State transition probabilities
- Initial state probabilities
- Observations (visible)
- Emission probabilities



Hidden Markov Models


Notation:



Markov Chains

- Analogon: the student's life

- Set of states (hidden)
- State transition probabilities
- Initial state probabilities




Hidden Markov Models

- Analogon: the student's life

- Consists of:

- Set of states (hidden)
- State transition probabilities
- Initial state probabilities
- Observations (visible)
- Emission probabilities



Hidden Markov Models

- Only observation sequence is visible!


Different algorithmic problems:

- Evaluation problem**
 - Given: observation sequence and model
 - Find: fitness (how well the model matches the sequence)
- Uncovering problem:**
 - Given: observation sequence and model
 - Find: optimal hidden state sequence
- Estimation problem** („training“ the HMM):
 - Given: observation sequence
 - Find: model parameters
 - Baum-Welch algorithm (Expectation-Maximization)

Uncovering problem

- Given: observation sequence $O = (o_1, \dots, o_N)$ of length $N \in \mathbb{N}$ and HMM θ (model parameters)
- Find: optimal hidden state sequence $S^* = (s_1^*, \dots, s_N^*)$
- Corresponds to chord estimation task!


Observation sequence $O = (o_1, o_2, o_3, o_4, o_5, o_6)$



Uncovering problem

- Given: observation sequence $O = (o_1, \dots, o_N)$ of length $N \in \mathbb{N}$ and HMM θ (model parameters)
- Find: optimal hidden state sequence $S^* = (s_1^*, \dots, s_N^*)$
- Corresponds to chord estimation task!

Observation sequence $O = (o_1, o_2, o_3, o_4, o_5, o_6)$




Hidden state sequence $S^* = (s_1^*, s_2^*, s_3^*, s_4^*, s_5^*, s_6^*)$

Uncovering problem

- Given: observation sequence $O = (o_1, \dots, o_N)$ of length $N \in \mathbb{N}$ and HMM θ (model parameters)
- Find: optimal hidden state sequence $S^* = (s_1^*, \dots, s_N^*)$
- Corresponds to chord estimation task!

Observation sequence $O = (o_1, o_2, o_3, o_4, o_5, o_6)$



Hidden state sequence $S^* = (s_1^*, s_2^*, s_3^*, s_4^*, s_5^*, s_6^*)$

Uncovering problem

- Optimal hidden state sequence?
 - "Best explains" given observation sequence O
 - Maximizes probability $P[O, S | \theta]$

$$\text{Prob}^* = \max_S P[O, S | \theta]$$

$$S^* = \underset{S}{\text{argmax}} P[O, S | \theta]$$

- Straight-forward computation (naive approach):
 - Compute probability for each possible sequence S
 - Number of possible sequences of length N ($I = \text{number of states}$):

$$\underbrace{I \cdot I \cdot \dots \cdot I}_N = I^N \quad \text{computationally infeasible!}$$

Viterbi Algorithm

- Based on dynamic programming (similar to DTW)
- Idea: Recursive computation from sub-problems
- Use **truncated versions** of observation sequence

$$O(1:n) := (o_1, \dots, o_n), \text{ length } n \in [1:N]$$

- Define $\mathbf{D}(i, n)$ as the highest probability along a single state sequence (s_1, \dots, s_n) that ends in state $s_n = \alpha_i$

$$\mathbf{D}(i, n) = \max_{(s_1, \dots, s_{n-1})} P[O(1:n), (s_1, \dots, s_{n-1}, s_n = \alpha_i) | \theta]$$

- Then, our solution is the state sequence yielding

$$\text{Prob}^* = \max_{i \in [1:I]} \mathbf{D}(i, N)$$

Viterbi Algorithm

- \mathbf{D} : matrix of size $I \times N$
- Recursive computation of $\mathbf{D}(i, n)$ along the column index n
- Initialization:
 - $n = 1$
 - Truncated observation sequence: $O(1) = (o_1)$
 - Current observation: $o_1 = \beta_{k_1}$

$$\mathbf{D}(i, 1) = c_i \cdot b_{ik_1} \quad \text{for some } i \in [1:I]$$

Viterbi Algorithm

- **D**: matrix of size $I \times N$
- Recursive computation of $\mathbf{D}(i, n)$ along the column index n
- **Recursion:**
 - $n \in [2: N]$
 - Truncated observation sequence: $O(1:n) = (o_1, \dots, o_n)$
 - Last observation: $o_n = \beta_{k_n}$

$$\mathbf{D}(i, n) = b_{ik_n} \cdot a_{j^*i} \cdot \underbrace{P[O(1:n-1), (s_1, \dots, s_{n-1} = \alpha_{j^*}) \mid \Theta]}_{\text{must be maximal!}} \quad \text{for } i \in [1: I]$$

$$\mathbf{D}(i, n) = b_{ik_n} \cdot a_{j^*i} \cdot \mathbf{D}(j^*, n-1)$$

Viterbi Algorithm

- **D**: matrix of size $I \times N$
- Recursive computation of $\mathbf{D}(i, n)$ along the column index n
- **Recursion:**
 - $n \in [2: N]$
 - Truncated observation sequence: $O(1:n) = (o_1, \dots, o_n)$
 - Last observation: $o_n = \beta_{k_n}$

$$\mathbf{D}(i, n) = b_{ik_n} \cdot a_{j^*i} \cdot \underbrace{P[O(1:n-1), (s_1, \dots, s_{n-1} = \alpha_{j^*}) \mid \Theta]}_{\text{must be maximal!}} \quad \text{for } i \in [1: I]$$

$$\mathbf{D}(i, n) = b_{ik_n} \cdot a_{j^*i} \cdot \underbrace{\mathbf{D}(j^*, n-1)}_{\text{must be maximal (best index } j^*)}$$

$$\mathbf{D}(i, n) = b_{ik_n} \cdot \max_{j \in [1: I]} (a_{ji} \cdot \mathbf{D}(j, n-1))$$

Viterbi Algorithm

- **D** given – find optimal state sequence $S^* = (s_1^*, \dots, s_N^*) := (\alpha_{i_1}, \dots, \alpha_{i_N})$
- Backtracking procedure (reverse order)
- **Last element:**
 - $n = N$
 - Optimal state: α_{i_N}

$$i_N = \operatorname{argmax}_{j \in [1: I]} \mathbf{D}(j, N)$$

Viterbi Algorithm

- **D** given – find optimal state sequence $S^* = (s_1^*, \dots, s_N^*) := (\alpha_{i_1}, \dots, \alpha_{i_N})$
- Backtracking procedure (reverse order)
- **Further elements:**
 - $n = N-1, N-2, \dots, 1$
 - Optimal state: α_{i_n}

$$i_n = \operatorname{argmax}_{j \in [1: I]} (a_{j i_{n+1}} \cdot \mathbf{D}(j, n))$$

Viterbi Algorithm

- **D** given – find optimal state sequence $S^* = (s_1^*, \dots, s_N^*) := (\alpha_{i_1}, \dots, \alpha_{i_N})$
- Backtracking procedure (reverse order)
- **Further elements:**
 - $n = N-1, N-2, \dots, 1$
 - Optimal state: α_{i_n}

$$i_n = \operatorname{argmax}_{j \in [1: I]} (a_{j i_{n+1}} \cdot \mathbf{D}(j, n))$$

- Simplification of backtracking: Keep track of maximizing index j in


$$\mathbf{D}(i, n) = b_{ik_n} \cdot \max_{j \in [1: I]} (a_{ji} \cdot \mathbf{D}(j, n-1))$$

- Define $(I \times (N-1))$ matrix **E**:

$$\mathbf{E}(i, n-1) = \operatorname{argmax}_{j \in [1: I]} (a_{ji} \cdot \mathbf{D}(j, n-1))$$


Viterbi Algorithm

Summary




Viterbi Algorithm

Summary




Viterbi Algorithm

Summary




Viterbi Algorithm

Summary




Viterbi Algorithm

Summary




Viterbi Algorithm

Summary



Viterbi Algorithm

Computational Complexity



Viterbi Algorithm

Summary

Algorithm: VITERBI

Input: HMM specified by $\Theta = (A, A, C, E, B)$

Observation sequence $O = (o_1 = \beta_{k_1}, o_2 = \beta_{k_2}, \dots, o_N = \beta_{k_N})$

Output: Optimal state sequence $S^* = (s_1^*, s_2^*, \dots, s_N^*)$

Procedure: Initialize the $(I \times N)$ matrix \mathbf{D} by $\mathbf{D}(i, 1) = c_i b_{ik_1}$ for $i \in [1 : I]$. Then compute in a nested loop for $n = 2, \dots, N$ and $i = 1, \dots, I$:

$$\mathbf{D}(i, n) = \max_{j \in [1 : I]} (a_{ij} \cdot \mathbf{D}(j, n-1)) \cdot b_{ik_n}$$

$$\mathbf{E}(i, n-1) = \operatorname{argmax}_{j \in [1 : I]} (a_{ij} \cdot \mathbf{D}(j, n-1))$$

Set $i_N = \operatorname{argmax}_{j \in [1 : I]} \mathbf{D}(j, N)$ and compute for decreasing $n = N-1, \dots, 1$ the maximizing indices

$$i_n = \operatorname{argmax}_{j \in [1 : I]} (a_{jn+1} \cdot \mathbf{D}(j, n)) = \mathbf{E}(i_{n+1}, n).$$

The optimal state sequence $S^* = (s_1^*, \dots, s_N^*)$ is defined by $s_n^* = \alpha_{i_n}$ for $n \in [1 : N]$.

Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1 : I]$	Observation symbols β_k for $k \in [1 : K]$	Initial state probabilities c_i																																								
State transition probabilities a_{ij}	Emission probabilities b_{ik}																																									
<table border="1"><tr><th>A</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>a_{11}</td><td>0.8</td><td>0.1</td><td>0.1</td></tr><tr><td>a_{21}</td><td>0.2</td><td>0.7</td><td>0.1</td></tr><tr><td>a_{31}</td><td>0.1</td><td>0.3</td><td>0.6</td></tr></table>	A	α_1	α_2	α_3	a_{11}	0.8	0.1	0.1	a_{21}	0.2	0.7	0.1	a_{31}	0.1	0.3	0.6	<table border="1"><tr><th>B</th><th>β_1</th><th>β_2</th><th>β_3</th></tr><tr><td>b_{11}</td><td>0.7</td><td>0</td><td>0.3</td></tr><tr><td>b_{21}</td><td>0.1</td><td>0.9</td><td>0</td></tr><tr><td>b_{31}</td><td>0</td><td>0.2</td><td>0.8</td></tr></table>	B	β_1	β_2	β_3	b_{11}	0.7	0	0.3	b_{21}	0.1	0.9	0	b_{31}	0	0.2	0.8	<table border="1"><tr><th>C</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>c_1</td><td>0.6</td><td>0.2</td><td>0.2</td></tr></table>	C	α_1	α_2	α_3	c_1	0.6	0.2	0.2
A	α_1	α_2	α_3																																							
a_{11}	0.8	0.1	0.1																																							
a_{21}	0.2	0.7	0.1																																							
a_{31}	0.1	0.3	0.6																																							
B	β_1	β_2	β_3																																							
b_{11}	0.7	0	0.3																																							
b_{21}	0.1	0.9	0																																							
b_{31}	0	0.2	0.8																																							
C	α_1	α_2	α_3																																							
c_1	0.6	0.2	0.2																																							

Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1 : I]$	Observation symbols β_k for $k \in [1 : K]$	Initial state probabilities c_i																																								
State transition probabilities a_{ij}	Emission probabilities b_{ik}																																									
<table border="1"><tr><th>A</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>a_{11}</td><td>0.8</td><td>0.1</td><td>0.1</td></tr><tr><td>a_{21}</td><td>0.2</td><td>0.7</td><td>0.1</td></tr><tr><td>a_{31}</td><td>0.1</td><td>0.3</td><td>0.6</td></tr></table>	A	α_1	α_2	α_3	a_{11}	0.8	0.1	0.1	a_{21}	0.2	0.7	0.1	a_{31}	0.1	0.3	0.6	<table border="1"><tr><th>B</th><th>β_1</th><th>β_2</th><th>β_3</th></tr><tr><td>b_{11}</td><td>0.7</td><td>0</td><td>0.3</td></tr><tr><td>b_{21}</td><td>0.1</td><td>0.9</td><td>0</td></tr><tr><td>b_{31}</td><td>0</td><td>0.2</td><td>0.8</td></tr></table>	B	β_1	β_2	β_3	b_{11}	0.7	0	0.3	b_{21}	0.1	0.9	0	b_{31}	0	0.2	0.8	<table border="1"><tr><th>C</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>c_1</td><td>0.6</td><td>0.2</td><td>0.2</td></tr></table>	C	α_1	α_2	α_3	c_1	0.6	0.2	0.2
A	α_1	α_2	α_3																																							
a_{11}	0.8	0.1	0.1																																							
a_{21}	0.2	0.7	0.1																																							
a_{31}	0.1	0.3	0.6																																							
B	β_1	β_2	β_3																																							
b_{11}	0.7	0	0.3																																							
b_{21}	0.1	0.9	0																																							
b_{31}	0	0.2	0.8																																							
C	α_1	α_2	α_3																																							
c_1	0.6	0.2	0.2																																							


Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1 : I]$	Observation symbols β_k for $k \in [1 : K]$	Initial state probabilities c_i																																								
State transition probabilities a_{ij}	Emission probabilities b_{ik}																																									
<table border="1"><tr><th>A</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>a_{11}</td><td>0.8</td><td>0.1</td><td>0.1</td></tr><tr><td>a_{21}</td><td>0.2</td><td>0.7</td><td>0.1</td></tr><tr><td>a_{31}</td><td>0.1</td><td>0.3</td><td>0.6</td></tr></table>	A	α_1	α_2	α_3	a_{11}	0.8	0.1	0.1	a_{21}	0.2	0.7	0.1	a_{31}	0.1	0.3	0.6	<table border="1"><tr><th>B</th><th>β_1</th><th>β_2</th><th>β_3</th></tr><tr><td>b_{11}</td><td>0.7</td><td>0</td><td>0.3</td></tr><tr><td>b_{21}</td><td>0.1</td><td>0.9</td><td>0</td></tr><tr><td>b_{31}</td><td>0</td><td>0.2</td><td>0.8</td></tr></table>	B	β_1	β_2	β_3	b_{11}	0.7	0	0.3	b_{21}	0.1	0.9	0	b_{31}	0	0.2	0.8	<table border="1"><tr><th>C</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>c_1</td><td>0.6</td><td>0.2</td><td>0.2</td></tr></table>	C	α_1	α_2	α_3	c_1	0.6	0.2	0.2
A	α_1	α_2	α_3																																							
a_{11}	0.8	0.1	0.1																																							
a_{21}	0.2	0.7	0.1																																							
a_{31}	0.1	0.3	0.6																																							
B	β_1	β_2	β_3																																							
b_{11}	0.7	0	0.3																																							
b_{21}	0.1	0.9	0																																							
b_{31}	0	0.2	0.8																																							
C	α_1	α_2	α_3																																							
c_1	0.6	0.2	0.2																																							

Input

Observation sequence
 $O = (o_1, o_2, o_3, o_4, o_5, o_6)$




Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1 : I]$	Observation symbols β_k for $k \in [1 : K]$	Initial state probabilities c_i																																								
State transition probabilities a_{ij}	Emission probabilities b_{ik}																																									
<table border="1"><tr><th>A</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>a_{11}</td><td>0.8</td><td>0.1</td><td>0.1</td></tr><tr><td>a_{21}</td><td>0.2</td><td>0.7</td><td>0.1</td></tr><tr><td>a_{31}</td><td>0.1</td><td>0.3</td><td>0.6</td></tr></table>	A	α_1	α_2	α_3	a_{11}	0.8	0.1	0.1	a_{21}	0.2	0.7	0.1	a_{31}	0.1	0.3	0.6	<table border="1"><tr><th>B</th><th>β_1</th><th>β_2</th><th>β_3</th></tr><tr><td>b_{11}</td><td>0.7</td><td>0</td><td>0.3</td></tr><tr><td>b_{21}</td><td>0.1</td><td>0.9</td><td>0</td></tr><tr><td>b_{31}</td><td>0</td><td>0.2</td><td>0.8</td></tr></table>	B	β_1	β_2	β_3	b_{11}	0.7	0	0.3	b_{21}	0.1	0.9	0	b_{31}	0	0.2	0.8	<table border="1"><tr><th>C</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>c_1</td><td>0.6</td><td>0.2</td><td>0.2</td></tr></table>	C	α_1	α_2	α_3	c_1	0.6	0.2	0.2
A	α_1	α_2	α_3																																							
a_{11}	0.8	0.1	0.1																																							
a_{21}	0.2	0.7	0.1																																							
a_{31}	0.1	0.3	0.6																																							
B	β_1	β_2	β_3																																							
b_{11}	0.7	0	0.3																																							
b_{21}	0.1	0.9	0																																							
b_{31}	0	0.2	0.8																																							
C	α_1	α_2	α_3																																							
c_1	0.6	0.2	0.2																																							

Input

Observation sequence
 $O = (o_1, o_2, o_3, o_4, o_5, o_6)$



Viterbi algorithm

D	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_1 = \beta_3$	$\alpha_2 = \beta_1$	$\alpha_3 = \beta_3$	$\alpha_1 = \beta_2$
α_1							
α_2							
α_3							
E	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_1 = \beta_3$	$\alpha_2 = \beta_1$	$\alpha_3 = \beta_3$	$\alpha_1 = \beta_2$
α_1							
α_2							
α_3							

Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1 : I]$	Observation symbols β_k for $k \in [1 : K]$	Initial state probabilities c_i																																								
State transition probabilities a_{ij}	Emission probabilities b_{ik}																																									
<table border="1"><tr><th>A</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>a_{11}</td><td>0.8</td><td>0.1</td><td>0.1</td></tr><tr><td>a_{21}</td><td>0.2</td><td>0.7</td><td>0.1</td></tr><tr><td>a_{31}</td><td>0.1</td><td>0.3</td><td>0.6</td></tr></table>	A	α_1	α_2	α_3	a_{11}	0.8	0.1	0.1	a_{21}	0.2	0.7	0.1	a_{31}	0.1	0.3	0.6	<table border="1"><tr><th>B</th><th>β_1</th><th>β_2</th><th>β_3</th></tr><tr><td>b_{11}</td><td>0.7</td><td>0</td><td>0.3</td></tr><tr><td>b_{21}</td><td>0.1</td><td>0.9</td><td>0</td></tr><tr><td>b_{31}</td><td>0</td><td>0.2</td><td>0.8</td></tr></table>	B	β_1	β_2	β_3	b_{11}	0.7	0	0.3	b_{21}	0.1	0.9	0	b_{31}	0	0.2	0.8	<table border="1"><tr><th>C</th><th>α_1</th><th>α_2</th><th>α_3</th></tr><tr><td>c_1</td><td>0.6</td><td>0.2</td><td>0.2</td></tr></table>	C	α_1	α_2	α_3	c_1	0.6	0.2	0.2
A	α_1	α_2	α_3																																							
a_{11}	0.8	0.1	0.1																																							
a_{21}	0.2	0.7	0.1																																							
a_{31}	0.1	0.3	0.6																																							
B	β_1	β_2	β_3																																							
b_{11}	0.7	0	0.3																																							
b_{21}	0.1	0.9	0																																							
b_{31}	0	0.2	0.8																																							
C	α_1	α_2	α_3																																							
c_1	0.6	0.2	0.2																																							

Input

$\alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6$
 $\beta_1, \beta_3, \beta_1, \beta_3, \beta_3, \beta_2$

D	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_1 = \beta_3$	$\alpha_2 = \beta_1$	$\alpha_3 = \beta_3$	$\alpha_1 = \beta_2$
α_1							
α_2							
α_3							
E	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_1 = \beta_3$	$\alpha_2 = \beta_1$	$\alpha_3 = \beta_3$	$\alpha_1 = \beta_2$
α_1							
α_2							
α_3							

Initialization

$$\mathbf{D}(i, 1) = c_i \cdot b_{ik_1}$$

Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1:J]$

Observation symbols β_k for $k \in [1:K]$

State transition probabilities a_{ij}

Emission probabilities b_{ik}

Initial state probabilities c_i

Input: $\alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6$
 $\beta_1, \beta_3, \beta_1, \beta_3, \beta_3, \beta_2$

Viterbi algorithm

D	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_4 = \beta_3$	$\alpha_5 = \beta_3$	$\alpha_6 = \beta_2$
α_1	0.4200					
α_2	0.0200					
α_3	0					

Initialization: $D(i, 1) = c_i \cdot b_{ik_1}$

Recursion: $D(i, n) = b_{ik_n} \cdot \max_{j \in [1:J]} (a_{ji} \cdot D(j, n-1))$

$E(i, n-1) = \operatorname{argmax}_{j \in [1:J]} (a_{ji} \cdot D(j, n-1))$

Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1:J]$

Observation symbols β_k for $k \in [1:K]$

State transition probabilities a_{ij}

Emission probabilities b_{ik}

Initial state probabilities c_i

Input: $\alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6$
 $\beta_1, \beta_3, \beta_1, \beta_3, \beta_3, \beta_2$

Viterbi algorithm

D	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_4 = \beta_3$	$\alpha_5 = \beta_3$	$\alpha_6 = \beta_2$
α_1	0.4200	0.1008				
α_2	0.0200	0				
α_3	0	0.0336				

Initialization: $D(i, 1) = c_i \cdot b_{ik_1}$

Recursion: $D(i, n) = b_{ik_n} \cdot \max_{j \in [1:J]} (a_{ji} \cdot D(j, n-1))$

$E(i, n-1) = \operatorname{argmax}_{j \in [1:J]} (a_{ji} \cdot D(j, n-1))$

Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1:J]$

Observation symbols β_k for $k \in [1:K]$

State transition probabilities a_{ij}

Emission probabilities b_{ik}

Initial state probabilities c_i

Input: $\alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6$
 $\beta_1, \beta_3, \beta_1, \beta_3, \beta_3, \beta_2$

Viterbi algorithm

D	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_4 = \beta_3$	$\alpha_5 = \beta_3$	$\alpha_6 = \beta_2$
α_1	0.4200	0.1008	0.0564	0.0135	0.0033	0
α_2	0.0200	0	0.0010	0	0	0.0006
α_3	0	0.0336	0	0.0045	0.0022	0.0003

Backtracking: $i_N = \operatorname{argmax}_{j \in [1:J]} D(j, n)$

$i_n = E(i_{n+1}, n)$

Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1:J]$

Observation symbols β_k for $k \in [1:K]$

State transition probabilities a_{ij}

Emission probabilities b_{ik}

Initial state probabilities c_i

Input: $\alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6$
 $\beta_1, \beta_3, \beta_1, \beta_3, \beta_3, \beta_2$

Viterbi algorithm

D	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_4 = \beta_3$	$\alpha_5 = \beta_3$	$\alpha_6 = \beta_2$
α_1	0.4200	0.1008	0.0564	0.0135	0.0033	0
α_2	0.0200	0	0.0010	0	0	0.0006
α_3	0	0.0336	0	0.0045	0.0022	0.0003

Backtracking: $i_N = \operatorname{argmax}_{j \in [1:J]} D(j, n)$

$i_n = E(i_{n+1}, n)$

Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1:J]$

Observation symbols β_k for $k \in [1:K]$

State transition probabilities a_{ij}

Emission probabilities b_{ik}

Initial state probabilities c_i

Input: $\alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6$
 $\beta_1, \beta_3, \beta_1, \beta_3, \beta_3, \beta_2$

Viterbi algorithm

D	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_4 = \beta_3$	$\alpha_5 = \beta_3$	$\alpha_6 = \beta_2$
α_1	0.4200	0.1008	0.0564	0.0135	0.0033	0
α_2	0.0200	0	0.0010	0	0	0.0006
α_3	0	0.0336	0	0.0045	0.0022	0.0003

Backtracking: $i_N = \operatorname{argmax}_{j \in [1:J]} D(j, n)$

$i_n = E(i_{n+1}, n)$

$i_5 = 2$

Viterbi Algorithm: Example

HMM:

States α_i for $i \in [1:J]$

Observation symbols β_k for $k \in [1:K]$

State transition probabilities a_{ij}

Emission probabilities b_{ik}

Initial state probabilities c_i

Input: $\alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6$
 $\beta_1, \beta_3, \beta_1, \beta_3, \beta_3, \beta_2$

Viterbi algorithm

D	$\alpha_1 = \beta_1$	$\alpha_2 = \beta_3$	$\alpha_3 = \beta_1$	$\alpha_4 = \beta_3$	$\alpha_5 = \beta_3$	$\alpha_6 = \beta_2$
α_1	0.4200	0.1008	0.0564	0.0135	0.0033	0
α_2	0.0200	0	0.0010	0	0	0.0006
α_3	0	0.0336	0	0.0045	0.0022	0.0003

Input: Observation sequence $O = (\alpha_1, \alpha_2, \alpha_3, \alpha_4, \alpha_5, \alpha_6)$

Output: Optimal state sequence $S^* = (\alpha_1, \alpha_1, \alpha_1, \alpha_3, \alpha_3, \alpha_2)$


$i_5 = 2$

HMM: Application to Chord Recognition


- Effect of HMM-based chord estimation and smoothing:



(a) Template Matching (frame-wise)




(b) HMM




HMM: Application to Chord Recognition

- Parameters: **Transition probabilities**
- Estimated from data




HMM: Application to Chord Recognition

- Parameters: **Transition probabilities**
- Estimated from data




HMM: Application to Chord Recognition

- Parameters: **Transition probabilities**
- Transposition-invariant**




HMM: Application to Chord Recognition

- Parameters: **Transition probabilities**
- Uniform, diagonal-enhanced transition matrix** (only smoothing)




HMM: Application to Chord Recognition

- Evaluation on all Beatles songs




Chord Recognition: Further Challenges

- Chord ambiguities




- Acoustic ambiguities (overtones)
 - Use advanced templates (model overtones, learned templates)
 - Enhanced chroma (logarithmic compression, overtone reduction)
 - Tuning inconsistency

Tonal Structures




Tonal Structures



Local Key Detection

- Johann Sebastian Bach, Choral "Durch Dein Gefängnis" (St. John's Passion) – Local keys



- Musical form:



„Bar form“

Local Key Detection


- Johann Sebastian Bach, Choral "Durch Dein Gefängnis" (St. John's Passion) – Local keys

Local Key Detection: Diatonic Scales

- Johann Sebastian Bach, Choral "Durch Dein Gefängnis" (St. John's Passion) – Local keys


Local Key Detection: Diatonic Scales

- Johann Sebastian Bach, Choral "Durch Dein Gefängnis" (St. John's Passion) – **Local keys**




Local Key Detection: Diatonic Scales

- Johann Sebastian Bach, Choral "Durch Dein Gefängnis" (St. John's Passion) – **Local keys**




Local Key Detection: Diatonic Scales

- Johann Sebastian Bach, Choral "Durch Dein Gefängnis" (St. John's Passion) – **Local keys**




Local Key Detection: Diatonic Scales

- Johann Sebastian Bach, Choral "Durch Dein Gefängnis" (St. John's Passion) – **Local keys**




Local Key Detection

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Audio** – Waveform (Scholars Baroque Ensemble, Naxos 1994)




Local Key Detection: Chroma Features

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Audio** – Chroma features (Scholars Baroque Ensemble, Naxos 1994)




Local Key Detection: Chroma Smoothing

- Summarize pitch classes over a certain time
 - Chroma smoothing** (mean filter)
 - Parameters: blocksize b and hopsize h




Local Key Detection: Chroma Smoothing

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Chroma features – **smoothing**




Local Key Detection: Chroma Smoothing

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Chroma features – **smoothing**




Local Key Detection: Chroma Smoothing

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Chroma features – **smoothing**




Local Key Detection: Chroma Smoothing

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Chroma features – **smoothing** ($b = 42$ frames and $h = 15$ frames)




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Re-ordering to **perfect fifth** series




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Re-ordering to **perfect fifth** series




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Diatonic Scales (**7 fifths**)




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Diatonic Scales (**7 fifths**)




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Diatonic Scales – **multiplication**




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Diatonic Scales – **multiplication**




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Diatonic Scales – **multiplication**




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Diatonic Scales – multiplication




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Diatonic Scales – shift to global key




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Diatonic Scales – shift to global key




Local Key Detection: Diatonic Scales

- Example: J.S. Bach, Choral "Durch Dein Gefängnis"
- Diatonic Scales – relative (0 \triangleq 4#)




Local Key Detection: Examples

- L. v. Beethoven – Sonata No. 10 op. 14 Nr. 2, 1. Allegro (0 \triangleq 1) (Barenboim, EMI 1998)



Local Key Detection: Examples

- L. v. Beethoven – Sonata No. 10 op. 14 Nr. 2, 1. Allegro (0 \triangleq 1) (Barenboim, EMI 1998)



Local Key Detection: Examples

- R. Wagner, *Die Meistersinger von Nürnberg*, Vorspiel (0 \triangle 0)
(Polish National Radio Symphony Orchestra, Naxos 1993)

